



**Innovative
Fire Protection**

REVIFLEX

LEITERMANN



Innovative Fire Protection Redefined. REVIFLEX Fire Protection Wall Panels


The legal requirements for new buildings, restored structures and renovation projects are increasingly becoming more stringent.

Lawmaker demand that escape and rescue route areas be constructed of non-combustible building materials. In addition, the construction components implemented have to comply with the stipulated fire-resistance duration. These legal requirements apply equally for massive construction walls, lightweight partitioning walls and for inspection openings, flexible wall panels and special furnishing installations. Furthermore, the building services engineering equipment needs to be easily accessible, but not visible at first glance. Is it really possible to meet all of these demands on equipment and optics and to comply with the fire protection provisions at an affordable price?

Yes! Our innovative REVIFLEX system is the answer. REVIFLEX provides standardised, pre-fabricated fire protection wall panels made of premium, furniture-construction quality materials.

The standard model panels are available in stock from our warehouse. In contrast to conventional systems, REVIFLEX fire protection wall panels can be installed quickly and easily, saving you time.



Our many years of experience working with finishing surfaces enable us to offer you a large selection of colours and decors for new and existing buildings.



System Safety. REVIFLEX Fire Protection Wall Panels

- Locking catch can optionally be positioned on the right or left.
- Individual panels can be removed easily.
- No fixed centre bars.
- No previously fixed locking catch necessary.
- High-quality, attractive flush-lying system.
- Standardisation gives you reliable planning security.
- Fast, easy assembly.
- Optimum value-for-money.
- Available in stock – no waiting periods.

100 Percent Freedom of Movement. REVIFLEX Fire Protection Wall Panels



System and Handling.

REVIFLEX Fire Protection Wall Panels

REVIFLEX means fire protection wall panels that you can use flexibly, either individually or lined up with one another in any quantity you like. In contrast to conventional inspection openings, our panels do not rely on a locking catch that has to be provided for at the construction site or on a fixed intermediate bar.

Each individual REVIFLEX fire protection wall panel is fitted with two independent vertical latching systems that simultaneously serve as rotating opening points. They are opened with a special key via a double-bit closure.

The REVIFLEX fire protection wall panels are fitted left and right with flush door bolt faces where the locks are installed. The vertical push rods are used to anchor the catch in the upper and lower guide rails.

Each REVIFLEX fire protection wall panel can be opened and closed in a clockwise or counter-clockwise direction. The easy removal of an individual panel provides a 100% accessible opening for maintenance work.

REVIFLEX fire protection wall panels can be installed in massive walls and in lightweight partitioning walls. The fire-resistance duration of 30, respectively, 60 minutes is ensured from both sides.

Delivery of REVIFLEX fire protection wall panels includes the corresponding wall and ceiling rails and self-adhesive fire and smoke protection seals for lateral wall connections. Special sizes are also available upon request.

Our broad range of products and services is rounded off by our many years of extensive experience in the field of fire protection, as well as our know-how and skills in the processing and preparation of panels made of sophisticated wood-based materials. We would be pleased to advise you on these matters.



Ludwig Leitemann
GmbH & Co. KG

Spanplattenveredelung

Direct coatings
Laminated panels
Composite panels
Special panels
Fire protection panels
Finished parts
Storage techniques
Edge banding materials

REVIFLEX

Fire Protection

LEITOPAL

Wood-based Materials

Theodor-Heuss-Straße 5-7
D-64732 Bad König

Phone +49 6063 5779-0
Fax +49 6063 5779-10
kontakt@leitopal.de
www.leitopal.de

Wir sind Atomstromfrei!
Infos unter: www.leitopal.de



Our partner in Switzerland:
howak holzwerkstoffagentur krause
Etzelstrasse 82, CH-8808 Pfäffikon

Phone +41 55 410 23 19
Mobile +41 79 336 86 66
Fax +41 55 410 25 09
krause@howak.ch